

**Material Safety Data Sheet**

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910 1200. Standard must be consulted for specific requirements.

**U.S. Department of Labor**

Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072 HMIS H-1, F-0, R-0

IDENTITY (as Used on Label and List)  
LEATHER FIX

*Note: Blank spaces are not permitted. If any item is not applicable or no information is available, the space must be marked to indicate that.*

**Section I**

Manufacturer's name <b>ROYALTONE</b>	Emergency Telephone Number <b>918-663-9666</b>
Address (Number, Street, City, State and ZIP Code) <b>9504 East 55th Street</b>	Telephone Number for Information <b>918-622-6677</b>
Tulsa, OK 74145	Date Prepared: 6/29/10
	Signature of Preparer (optional)

**Section II—Hazardous Ingredients/Identity Information**

Hazardous Components (Specific Chemical Identity, Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
---	----------	-----------	--------------------------	--------------

This product does not contain any hazardous materials based on the current Department of Labor regulations as we interpret them.

**Section III—Physical/Chemical Characteristics**

Boiling Point	212F	Specific Gravity (H <sub>2</sub> O = 1)	0.95
Vapor Pressure (mm Hg)	H <sub>2</sub> O	Melting Point	32F
Vapor Density (AIR = 1)	H <sub>2</sub> O	Evaporation Rate (Butyl Acetate = 1)	H <sub>2</sub> O
Solubility in Water	100%		
Appearance and Odor	slight color, clear liquid pleasant odor		

**Section IV—Fire and Explosion Hazard Data**

Flash Point (Method Used)	na	Flammable Limits	na	LEL	na	UEL	na
Extinguishing Media	water, fog, carbon dioxide, dry chemical						
Special Fire Fighting Procedures	none						
Unusual Fire and Explosion Hazards	none						

**Section V—Reactivity Data**

Stability	Unstable		Conditions to Avoid
	Stable	X	None
Incompatibility ( <i>Materials to Avoid</i> ) strong mineral acids & strong oxidizing agents			
Hazardous Decomposition or Byproducts burning can cause carbon monoxide & carbon dioxide			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	None

**Section VI—Health Hazard Data**

Route(s) of Entry	Inhalation? no	Skin? no	Ingestion? YES
Health Hazards ( <i>Acute and Chronic</i> ) can cause eye irritation, and skin irritation. Ingestion can cause nausea, pain collapse.			
Carcinogenicity no	NTP? no	IARC Monographs? no	OSHA Regulated? no
Signs and Symptoms of Exposure eye & skin irritation, nausea if ingested			
Medical Conditions			
Generally Aggravated by Exposure eyes & skin irritation and nausea			
Emergency and First Aid Procedures EYES: flush with water for 25 min, call a physician SKIN: wash with soap & water			
INGESTION: drink 2 glasses of water and induce vomiting			

**Section VII—Precautions for Safe Handling and Use**

Steps to Be Taken in Case Material Is Released or Spilled	flush with water
Waste Disposal Method	incinerate per Federal, State & local regulations
Precautions to Be Taken in Handling and Storing	avoid contact with eyes, skin and clothing
Other Precautions	none

**Section VII—Control Measures**

Respiratory Protection ( <i>Specify Type</i> ) none			
Ventilation	Local Exhaust	none in normal use	Special no
	Mechanical ( <i>General</i> )	yes	Other no
Protective Gloves	impervious	Eye Protection	safety goggles
Other Protective Clothing or Equipment impervious clothing			
Work/Hygienic Practices DO NOT DRINK			